

MATERIAL SAFETY DATA SHEET

June 2020

GGO International Management 1665 Donto Way, Brooksville, Florida, 34601, USA

Tel: +1 888 504 6614

Email: info@ggointernational.com Web: https://ggointernational.com

IN AN EMERGENCY CONTACT CHEMTREC

Toll Free +1 800-424-9300 Outside US: + 1 703-527-3887

Humus Dry / Mini Granule					
		Product Name: Humus Dry / Mini Gran	nule		
1.	PRODUCT IDENTIFICATION	Product Use: All-natural Product			
		Appearance: Blackish/Brown			
2.	HAZARDOUS INGREDIENTS	The product is a naturally occurring complex mixture that can contain crystalline silica.			
	PHYSICAL DATA	Physical State:	Solid		
		Odor:	Odorless		
		Odor Threshold:	Not applicable		
		Vapour Pressure:	Negligible		
		Vapour Density:	Not applicable		
3.		Evaporation Rate:	Not applicable		
		Boiling Point:	Does not form liquid		
		pH:	3.2 – 4.0		
		Appearance:	Blackish/brown		
		Bulk Density:	790 kg/m3 (Packed)		
		Coefficient of Water/Oil Distribution:	Not available – product may contain up to 35% moisture.		

		Percent Volatile (non-water):	0%
		Moisture Variation:	The product may lose (or gain) moisture over time, dependent
			on humidity and temperature conditions and on exposure of
			product surfaces to the environment.
		Flammability:	Not applicable.
4.	FIRST AID EXPLOSION HAZARD	Special Procedures:	Use protective clothing and breathing equipment appropriate
			for surrounding fire.
		Irritancy of Product:	Dust causes irritation. Skin contact and ingestion are not
			considered hazardous.
		Sensitization to Products:	Negligible.
		Dust Explosion Hazard:	Not considered an explosion hazard.
		Minimum Ignition Temperature:	Not considered a fire hazard.
		Minimum Explosive Concentration:	Not considered an explosion hazard.
		MIE:	Not applicable.
		Hazard Combustion Products:	Not applicable.
		Explosion Data:	Sensitivity to Impact - Not sensitive.
		Explosion Data:	Sensitivity to Static Discharge - Not sensitive.
		Susceptibility to Spontaneous Heating/Combustion: Not applicable.	
5.	REACTIVITY DATA	Chemical Stability:	The product is stable under ambient conditions.
		Incompatibility with Other Substances:	Non-reactive.
		Reactivity:	Not applicable
6.	TOXICOLOGICAL PROPERTIES	Route of Entry:	Inhalation

Effects of Acute Exposure to Product: Airborne respirable dust may cause irritation to the nose, throat and lungs. Dust particles may mechanically irritate the eyes and impair vision. Effects of Chronic Exposure to Product: Prolonged and/or repeated exposure via inhalation may result in progressive and permanent lung disorders and damage. Dust has been related to silicosis. Irritancy of Product: Dust causes irritation as noted above. Skin contact and ingestion are not considered hazardous. Sensitization to Products: Negligible. Not considered a human carcinogen. Carcinogenicity: Teratogenicity: Not established. Reproductive Toxicity: Not established Not established. Mutagenicity: Synergistic Products: None established. 3% Free Si: Personal Protective Equipment: An approved (NIOSH/MSHA) respirator equipped with a dust filter, approved for silica bearing dust, should be worn when exposed to the product under dust generating conditions. Disposable units are normally satisfactory for short-term or intermittent exposure. The use of additional personal protective equipment varies with severity of conditions. Safety goggles, 7. PREVENTATIVE MEASURES coveralls and protective footwear are recommended when handling bulk quantities of the product. Engineering Controls: Local exhaust ventilation and confinement of handling systems may be required to control exposure to dust. Leak and Spill Procedure: Take steps to control product discharge to the

environment. Notify appropriate authorities immediately and arrange for recovery of spilled material.

		Waste Disposal: Ensure waste material is disposed of in accordance with applicable environmental regulations, including local requirements. Handling Procedures and Equipment: Minimize generation of dust during handling. Provide adequat ventilation. Be aware of dust explosion hazard. Storage Requirements: Store in dry place. Keep product containers closed or covered where possible	
		Exposure Limits: The American Conference of Governmental Industrial Hygienists recommends 2 mg/m 3 of respirable dust (TWA limit). DOT Classification: Not Classified Keep away from children	
8.	FIRST AID MEASURES	Inhalation: Inhalation of dust alone is unlikely to result in an emergency situation. If necessary, use adequate respiratory protection and remove victim to fresh air. Get prompt medical attention if breathing difficulty is evident. Eye Contact: Flush eyes with large amounts of water to remove residual dust particles. Get medical attention if irritation persists. Skin Contact, Ingestion: First aid is usually not necessary.	
9.	OTHER INFORMATION	Notice: While the information and recommendations set forth herein are believed to be accurate as of the date hereof, GGO International Management makes no warranty with respect thereto and disclaims all liability from reliance thereon. Prepared by GGO IM, Inc, June 01, 2020.	